

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3991	((725/147,143,144,151,137,138, 139,114) or (348/552,722) or (386/34,124)).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/04/24 16:05
L2	2889	1 and (@ad<"20020204" or @rlad<"20020204")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 16:06
L3	1062	(transmi\$5 sen\$4 transfer\$4 recei\$4 download\$3 upload\$3) near3 ((imag\$3 bitmap digital) near (large big oversiz\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 16:10
L4	10656	(switch\$3 chang\$3) near3 digital near3 analog\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 16:11
L5	6	3 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 16:15
L6	7	3 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 16:15

[Sign in](#)[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)

WebResults 1 - 2 of 2 for **EIA775A convert digital bitmap to analog image** . (0.40 seconds)Did you mean: **EIA 775A convert digital bitmap to analog image****Transferring large bitmap data using analog switching - Patent ...**When using **EIA775A** to transfer large **bitmap images** from. ... the **digital** content from 18 through a **digital-to-analog converter 34** and transmits **analog** ...www.freepatentsonline.com/20030149977.html - 36k - [Cached](#) - [Similar pages](#)**digdia - Digital Living / Digital Home Glossary - Copyright 2006**ADC - **Analog to Digital Converter**, digitizes an **analog** signal. ... **EIA775A** - EIA DTV link over 1394 specification (1394 link between the STB and DTV) ...www.digdia.com/glossary.htm - 256k - [Cached](#) - [Similar pages](#)Did you mean to search for: **EIA 775A convert digital bitmap to analog image**Download [Google Pack](#): free essential software for your PC

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

EIA 775A convert digital bitmap to analog ima

[Search](#)[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 18 of 18 for **EIA 775A convert digital bitmap to analog image** . (0.31 seconds)**Transferring large bitmap data using analog switching - Patent ...**

The method according to claim 1, wherein the **digital bitmap image** ... over the IEEE1394 bus using the **EIA 775a** protocol and are mixed with the decoded MPEG ...
www.freepatentsonline.com/20030149977.html - 36k - [Cached](#) - [Similar pages](#)

Control system and user interface for network of input devices ...

A hybrid 1394 device is a device capable of receiving **analog** and **digital** input ... and **EIA-775A bitmap** interface, a HAVi level-2 UI (havlet), and the like. ...
www.freepatentsonline.com/20060007933.html - 111k - [Cached](#) - [Similar pages](#)
[[More results from www.freepatentsonline.com](#)]

What was New for 2003

AG-DVC7 4:3 60i NTSC Mini-DV Camcorder with IEEE1394 4-pin DV **digital** I/O, ...
SetupNavi, can work in studio configuration with CCU-D50 with **analog** coax ...
www.myvtp.com/htm/whatwasnewfor2003.htm - 39k - [Cached](#) - [Similar pages](#)

digdia - Digital Living / Digital Home Glossary - Copyright 2006

ADC - **Analog to Digital Converter**, digitizes an **analog** signal. ... **EIA775A** - **EIA DTV** link over 1394 specification (1394 link between the STB and DTV) ...
www.digdia.com/glossary.htm - 256k - [Cached](#) - [Similar pages](#)

Control system and user interface for network of input devices ...

A hybrid 1394 device is a device capable of receiving **analog** and **digital** input and/or ...
HAVi DDI interface, and **EIA-775A bitmap** interface, a HAVi, ...
www.patentstorm.us/patents/6930730-description.html - 118k - [Cached](#) - [Similar pages](#)

[PDF] OpenCable™ Application Platform Specification OCAP 1.0 Profile OC ...

File Format: PDF/Adobe Acrobat

OpenCable device An OpenCable-compliant **digital** set-top converter or cable ready ...7.1.1 **Bitmap image**. formats. Compliance. 7.1.1 **Bitmap image**. formats ...www.opencable.com/downloads/specs/OC-SP-OCAP1.0-l16-050803.pdf - [Similar pages](#)**[PDF] CAPS-90-1_rev1 [CAP 02-01-rev4]_19Mar04.book**

File Format: PDF/Adobe Acrobat

These devices are actually a hybrid **analog/digital** set- ... specified in Section 7.1.1, **Bitmap image** formats of the DVB-MHP 1.0.2 [10] SHALL be supported. ...

www.scte.org/documents/pdf/ANSISCTE9012004.pdf - [Similar pages](#)**[PDF] ENGINEERING COMMITTEE Cable Applications Platform Subcommittee ...**

File Format: PDF/Adobe Acrobat

image formats. Compliance. Section 7.1.1, **Bitmap. Image** Formats ... The Copy Protection Module controls copying of **analog** or **digital** content as per MSO ...

www.scte.org/documents/standards/approved/SCTE9012005.pdf - [Similar pages](#)**[doc] 99SSP_Template**File Format: Microsoft Word - [View as HTML](#)

Impact testing shall be conducted in accordance with **EIA-455-25** (FOTP-25) "Impact Testing of Fiber ... Video Signal Inputs --**Analog** as well as **digital**. ...

www.dot.ca.gov/hq/esc/oe/project_ads_addenda/04/04-151764/word/04-151764sp.doc -[Similar pages](#)

[doc] FrtBoil

File Format: Microsoft Word

EIA-530A cable assembly shall be provided to connect the VEU to the integrated services digital network terminal adapter (ISDN TA) unit with basic rate ...

www.dot.ca.gov/hq/esc/oe/project_ads_addenda/04/04-276004/word/04-276004sp.doc -

[Similar pages](#)[\[More results from www.dot.ca.gov \]](#)TIGERSOFT - Aktionsangebote- [Translate this page]

M3200C BLACK Public Display (ohne TV Tuner) - 32 " LCD/ **analog, digital/ schwarz/ ...**

EN 80173, IEC 60603-7 und TIA/EIA 568, 19", 1 HE Setec RJ45 Buchse mit ...

www.tigersoft.de/full.php - [Similar pages](#)

[PDF] ** WARNING ** WARNING ** WARNING ** WARNING ** This document is ...

File Format: PDF/Adobe Acrobat

The test shall be conducted in accordance with EIA-455-104. (FOTP-104), "Fiber Optic Cable Cyclic ... Video Signal Inputs --**Analog** as well as **digital**. ...

www.caltrans.ca.gov/hq/esc/oe/project_ads_addenda/04/04-151764/pdf/04-151764sp.pdf -

[Similar pages](#)[doc] 99SSP_Template

File Format: Microsoft Word

The Contractor shall complete the **BMP** checklists for each of the six categories ...

performance of the **analog** and **digital** parameters under full operation. ...

[caltrans-opac.dot.ca.gov/hq/esc/oe/project_ads_addenda/07/07-120754/word/07-](http://caltrans-opac.dot.ca.gov/hq/esc/oe/project_ads_addenda/07/07-120754/word/07-120754sp.doc)

[120754sp.doc](http://caltrans-opac.dot.ca.gov/hq/esc/oe/project_ads_addenda/07/07-120754/word/07-120754sp.doc) - [Similar pages](#)

[doc] 99SSP_Template

File Format: Microsoft Word

All equipment racks shall be industrial grade and conform to **EIA** standard ... performance of the **analog** and **digital** parameters under full operation. ...

[caltrans-opac.dot.ca.gov/hq/esc/oe/project_ads_addenda/07/07-120974/word/07-](http://caltrans-opac.dot.ca.gov/hq/esc/oe/project_ads_addenda/07/07-120974/word/07-120974sp.doc)

[120974sp.doc](http://caltrans-opac.dot.ca.gov/hq/esc/oe/project_ads_addenda/07/07-120974/word/07-120974sp.doc) - [Similar pages](#)

[xls] List1

File Format: Microsoft Excel

2024, MSI DIGI VOX II Tuner **Analog/Digital** USB, 36, USB 2.0 DigiVOX A/D II TV tuner ...

pamät' 2MB, technológia Automatic **Image** Refinement ponúka automatické ...

www.tecton.sk/cennik/november.xls - [Similar pages](#)

Bz-Soft ...kancelárska a výpočtová technika

32-bit digitálny mixer, vysoká audio kvalita, 24-bit **Analog-Digital** a ... A2, BTSC/MTS a

EIA-J systém, vstup diaľkového ovládania 2.5mm phone jack, Rozmery. ...

bzsoft.bobcek.com/index.php?id=obchod/eobchod - [Similar pages](#)

[PDF] ** WARNING ** WARNING ** WARNING ** WARNING ** This document is ...

File Format: PDF/Adobe Acrobat

Image Area. 3.6 mm (H) x 2.7 mm (V) [Format]. Resolution:. 460 horizontal; 350 vertical-

NETS. Digital Zoom Range:. **Digital** Zoom Range: 1X (Off) through 8X ...

catc.ca.gov/hq/esc/oe/project_ads_addenda/07/07-243504/pdf/07-243504sp.pdf -

[Similar pages](#)[doc] 99SSP_Template

File Format: Microsoft Word

The Construction Site **BMP** Manual and these special provisions shall be followed ... The power strip shall be mounted at the top of the standard **EIA-310** rack ...

www2.dot.ca.gov/hq/esc/oe/project_ads_addenda/04/04-4874R4/word/04-4874R4sp.doc -

[Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 18 already displayed.

If you like, you can repeat the search with the omitted results included.

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

EIA 775A convert digital bitmap to analog ima

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 18 of 18 for **EIA 775A convert digital bitmap to analog image** . (0.31 seconds)**Transferring large bitmap data using analog switching - Patent ...**

The method according to claim 1, wherein the **digital bitmap image** ... over the IEEE1394 bus using the **EIA 775a** protocol and are mixed with the decoded MPEG ...

www.freepatentsonline.com/20030149977.html - 36k - [Cached](#) - [Similar pages](#)

Control system and user interface for network of input devices ...

A hybrid 1394 device is a device capable of receiving **analog** and **digital** input ... and **EIA-775A bitmap** interface, a HAVi level-2 UI (havlet), and the like. ...

www.freepatentsonline.com/20060007933.html - 111k - [Cached](#) - [Similar pages](#)

[[More results from www.freepatentsonline.com](#)]

What was New for 2003

AG-DVC7 4:3 60i NTSC Mini-DV Camcorder with IEEE1394 4-pin DV **digital** I/O, ...

SetupNavi, can work in studio configuration with CCU-D50 with **analog** coax ...

www.myvtp.com/htm/whatwasnewfor2003.htm - 39k - [Cached](#) - [Similar pages](#)

digdia - Digital Living / Digital Home Glossary - Copyright 2006

ADC - **Analog to Digital Converter**, digitizes an **analog** signal. ... EIA775A - EIA DTV link over 1394 specification (1394 link between the STB and DTV) ...

www.digdia.com/glossary.htm - 256k - [Cached](#) - [Similar pages](#)

Control system and user interface for network of input devices ...

A hybrid 1394 device is a device capable of receiving **analog** and **digital** input and/or ...

HAVi DDI interface, and **EIA-775A bitmap** interface, a HAVi, ...

www.patentstorm.us/patents/6930730-description.html - 118k - [Cached](#) - [Similar pages](#)

[PDF] OpenCable™ Application Platform Specification OCAP 1.0 Profile OC ...

File Format: PDF/Adobe Acrobat

OpenCable device An OpenCable-compliant **digital** set-top converter or cable ready ...

7.1.1 **Bitmap image**. formats. Compliance. 7.1.1 **Bitmap image**. formats ...

www.opencable.com/downloads/specs/OC-SP-OCAP1.0-l16-050803.pdf - [Similar pages](#)

[PDF] CAPS-90-1_rev1_[CAP 02-01-rev4]_19Mar04.book

File Format: PDF/Adobe Acrobat

These devices are actually a hybrid **analog/digital** set- ... specified in Section 7.1.1, **Bitmap image** formats of the DVB-MHP 1.0.2 [10] SHALL be supported. ...

www.scte.org/documents/pdf/ANSISCTE9012004.pdf - [Similar pages](#)

[PDF] ENGINEERING COMMITTEE Cable Applications Platform Subcommittee ...

File Format: PDF/Adobe Acrobat

image formats. Compliance. Section 7.1.1, **Bitmap. Image** Formats ... The Copy Protection

Module controls copying of **analog** or **digital** content as per MSO ...

www.scte.org/documents/standards/approved/SCTE9012005.pdf - [Similar pages](#)

[doc] 99SSP Template

File Format: Microsoft Word - [View as HTML](#)

Impact testing shall be conducted in accordance with EIA-455-25 (FOTP-25) "Impact

Testing of Fiber ... Video Signal Inputs --**Analog** as well as **digital**. ...

www.dot.ca.gov/hq/esc/oe/project_ads_addenda/04/04-151764/word/04-151764sp.doc -

[Similar pages](#)

[doc] FrtBoil

File Format: Microsoft Word

EIA-530A cable assembly shall be provided to connect the VEU to the integrated services **digital** network terminal adapter (ISDN TA) unit with basic rate ...

www.dot.ca.gov/hq/esc/oe/project_ads_addenda/04/04-276004/word/04-276004sp.doc -

[Similar pages](#)

[[More results from www.dot.ca.gov](#)]

TIGERSOFT - Aktionsangebote- [Translate this page]

M3200C BLACK Public Display (ohne TV Tuner) - 32 " LCD/ **analog, digital**/ schwarz/ ...

EN 80173, IEC 60603-7 und TIA/EIA 568, 19", 1 HE Setec RJ45 Buchse mit ...

www.tigersoft.de/full.php - [Similar pages](#)

[PDF] ** WARNING ** WARNING ** WARNING ** WARNING ** This document is ...

File Format: PDF/Adobe Acrobat

The test shall be conducted in accordance with EIA-455-104. (FOTP-104), "Fiber Optic Cable Cyclic ... Video Signal Inputs --**Analog** as well as **digital**. ...

www.caltrans.ca.gov/hq/esc/oe/project_ads_addenda/04/04-151764/pdf/04-151764sp.pdf -

[Similar pages](#)

[doc] 99SSP_Template

File Format: Microsoft Word

The Contractor shall complete the **BMP** checklists for each of the six categories ... performance of the **analog** and **digital** parameters under full operation. ...

[caltrans-opac.dot.ca.gov/hq/esc/oe/project_ads_addenda/07/07-120754/word/07-](http://caltrans-opac.dot.ca.gov/hq/esc/oe/project_ads_addenda/07/07-120754/word/07-120754sp.doc)

[120754sp.doc](#) - [Similar pages](#)

[doc] 99SSP_Template

File Format: Microsoft Word

All equipment racks shall be industrial grade and conform to EIA standard ... performance of the **analog** and **digital** parameters under full operation. ...

[caltrans-opac.dot.ca.gov/hq/esc/oe/project_ads_addenda/07/07-120974/word/07-](http://caltrans-opac.dot.ca.gov/hq/esc/oe/project_ads_addenda/07/07-120974/word/07-120974sp.doc)

[120974sp.doc](#) - [Similar pages](#)

[xls] List1

File Format: Microsoft Excel

2024, MSI DIGI VOX II Tuner **Analog/Digital** USB, 36, USB 2.0 DigiVOX A/D II TV tuner ...

pamäť 2MB, technológia Automatic **Image** Refinement ponúka automatické ...

www.tecton.sk/cennik/november.xls - [Similar pages](#)

Bz-Soft ...kancelárska a výpočtová technika

32-bit digitálny mixer, vysoká audio kvalita, 24-bit **Analog-Digital** a ... A2, BTSC/MTS a

EIA-J systém, vstup diaľkového ovládania 2.5mm phone jack, Rozmery. ...

bzsoft.bobcek.com/index.php?id=obchod/eobchod - [Similar pages](#)

[PDF] ** WARNING ** WARNING ** WARNING ** WARNING ** This document is ...

File Format: PDF/Adobe Acrobat

Image Area. 3.6 mm (H) x 2.7 mm (V) [Format]. Resolution:. 460 horizontal; 350 vertical-**NETS. Digital** Zoom Range:. **Digital** Zoom Range: 1X (Off) through 8X ...

catc.ca.gov/hq/esc/oe/project_ads_addenda/07/07-243504/pdf/07-243504sp.pdf -

[Similar pages](#)

[doc] 99SSP_Template

File Format: Microsoft Word

The Construction Site **BMP** Manual and these special provisions shall be followed ... The power strip shall be mounted at the top of the standard EIA-310 rack ...

www2.dot.ca.gov/hq/esc/oe/project_ads_addenda/04/04-4874R4/word/04-4874R4sp.doc -

[Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 18 already displayed.

If you like, you can repeat the search with the omitted results included.

Try [Google Desktop](#): search your computer as easily as you search the web.

EIA 775A convert digital bitmap to a 

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

EIA 775A convert digital bitmap to analog image

[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 18 of 18 for **EIA 775A convert digital bitmap to analog image** . (0.31 seconds)**Transferring large bitmap data using analog switching - Patent ...**

The method according to claim 1, wherein the **digital bitmap image** ... over the IEEE1394 bus using the **EIA 775a** protocol and are mixed with the decoded MPEG ...
www.freepatentsonline.com/20030149977.html - 36k - [Cached](#) - [Similar pages](#)

Control system and user interface for network of input devices ...

A hybrid 1394 device is a device capable of receiving **analog** and **digital** input ... and **EIA-775A bitmap** interface, a HAVi level-2 UI (havlet), and the like. ...
www.freepatentsonline.com/20060007933.html - 111k - [Cached](#) - [Similar pages](#)
[[More results from www.freepatentsonline.com](#)]

What was New for 2003

AG-DVC7 4:3 60i NTSC Mini-DV Camcorder with IEEE1394 4-pin DV **digital** I/O, ...
SetupNavi, can work in studio configuration with CCU-D50 with **analog** coax ...
www.myvtp.com/htm/whatwasnewfor2003.htm - 39k - [Cached](#) - [Similar pages](#)

digdia - Digital Living / Digital Home Glossary - Copyright 2006

ADC - **Analog to Digital Converter**, digitizes an **analog** signal. ... EIA775A - EIA DTV link over 1394 specification (1394 link between the STB and DTV) ...
www.digdia.com/glossary.htm - 256k - [Cached](#) - [Similar pages](#)

Control system and user interface for network of input devices ...

A hybrid 1394 device is a device capable of receiving **analog** and **digital** input and/or ...
HAVi DDI interface, and **EIA-775A bitmap** interface, a HAVi, ...
www.patentstorm.us/patents/6930730-description.html - 118k - [Cached](#) - [Similar pages](#)

[PDF] OpenCable™ Application Platform Specification OCAP 1.0 Profile OC ...

File Format: PDF/Adobe Acrobat

OpenCable device An OpenCable-compliant **digital** set-top converter or cable ready ...7.1.1 **Bitmap image**. formats. Compliance. 7.1.1 **Bitmap image**. formats ...www.opencable.com/downloads/specs/OC-SP-OCAP1.0-I16-050803.pdf - [Similar pages](#)**[PDF] CAPS-90-1_rev1 [CAP 02-01-rev4]_19Mar04.book**

File Format: PDF/Adobe Acrobat

These devices are actually a hybrid **analog/digital** set- ... specified in Section 7.1.1, **Bitmap image** formats of the DVB-MHP 1.0.2 [10] SHALL be supported. ...

www.scte.org/documents/pdf/ANSISCTE9012004.pdf - [Similar pages](#)**[PDF] ENGINEERING COMMITTEE Cable Applications Platform Subcommittee ...**

File Format: PDF/Adobe Acrobat

image formats. Compliance. Section 7.1.1, **Bitmap Image** Formats ... The Copy Protection Module controls copying of **analog** or **digital** content as per MSO ...

www.scte.org/documents/standards/approved/SCTE9012005.pdf - [Similar pages](#)**[doc] 99SSP_Template**File Format: Microsoft Word - [View as HTML](#)

Impact testing shall be conducted in accordance with EIA-455-25 (FOTP-25) "Impact Testing of Fiber ... Video Signal Inputs --**Analog** as well as **digital**. ...

www.dot.ca.gov/hq/esc/oe/project_ads_addenda/04/04-151764/word/04-151764sp.doc -[Similar pages](#)

[doc] FrtBoil

File Format: Microsoft Word

EIA-530A cable assembly shall be provided to connect the VEU to the integrated services digital network terminal adapter (ISDN TA) unit with basic rate ...

www.dot.ca.gov/hq/esc/oe/project_ads_addenda/04/04-276004/word/04-276004sp.doc -

[Similar pages](#)[\[More results from www.dot.ca.gov \]](#)TIGERSOFT - Aktionsangebote- [Translate this page]M3200C BLACK Public Display (ohne TV Tuner) - 32 " LCD/ **analog, digital/** schwarz/ ...

EN 80173, IEC 60603-7 und TIA/EIA 568, 19", 1 HE Setec RJ45 Buchse mit ...

www.tigersoft.de/full.php - [Similar pages](#)[PDF] ** WARNING ** WARNING ** WARNING ** WARNING ** This document is ...

File Format: PDF/Adobe Acrobat

The test shall be conducted in accordance with EIA-455-104. (FOTP-104), "Fiber Optic Cable Cyclic ... Video Signal Inputs --**Analog** as well as **digital**. ...

www.caltrans.ca.gov/hq/esc/oe/project_ads_addenda/04/04-151764/pdf/04-151764sp.pdf -

[Similar pages](#)[doc] 99SSP_Template

File Format: Microsoft Word

The Contractor shall complete the **BMP** checklists for each of the six categories ...performance of the **analog** and **digital** parameters under full operation. ...

caltrans-opac.dot.ca.gov/hq/esc/oe/project_ads_addenda/07/07-120754/word/07-

120754sp.doc - [Similar pages](#)[doc] 99SSP_Template

File Format: Microsoft Word

All equipment racks shall be industrial grade and conform to **EIA** standard ... performance of the **analog** and **digital** parameters under full operation. ...

caltrans-opac.dot.ca.gov/hq/esc/oe/project_ads_addenda/07/07-120974/word/07-

120974sp.doc - [Similar pages](#)[xls] List1

File Format: Microsoft Excel

2024, MSI DIGI VOX II Tuner **Analog/Digital** USB, 36, USB 2.0 DigiVOX A/D II TV tuner ...pamät' 2MB, technológia Automatic **Image** Refinement ponúka automatické ...www.tecton.sk/cennik/november.xls - [Similar pages](#)Bz-Soft ...kancelárska a výpočtová technika32-bit digitálny mixer, vysoká audio kvalita, 24-bit **Analog-Digital** a ... A2, BTSC/MTS a**EIA-J** systém, vstup diaľkového ovládania 2.5mm phone jack, Rozmery. ...bzsoft.bobcek.com/index.php?id=obchod/eobchod - [Similar pages](#)[PDF] ** WARNING ** WARNING ** WARNING ** WARNING ** This document is ...

File Format: PDF/Adobe Acrobat

Image Area. 3.6 mm (H) x 2.7 mm (V) [Format]. Resolution:. 460 horizontal; 350 vertical-**NETS. Digital** Zoom Range:. **Digital** Zoom Range: 1X (Off) through 8X ...

catc.ca.gov/hq/esc/oe/project_ads_addenda/07/07-243504/pdf/07-243504sp.pdf -

[Similar pages](#)[doc] 99SSP_Template

File Format: Microsoft Word

The Construction Site **BMP** Manual and these special provisions shall be followed ... Thepower strip shall be mounted at the top of the standard **EIA**-310 rack ...

www2.dot.ca.gov/hq/esc/oe/project_ads_addenda/04/04-4874R4/word/04-4874R4sp.doc -

[Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 18 already displayed.

If you like, you can repeat the search with the omitted results included.

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

EIA 775A convert digital bitmap to analog ima

[Search](#)

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 18 of 18 for **EIA 775A convert digital bitmap to analog image** . (0.31 seconds)

Transferring large bitmap data using analog switching - Patent ...

The method according to claim 1, wherein the **digital bitmap image** ... over the IEEE1394 bus ussing the **EIA 775a** protocol and are mixed with the decoded MPEG ...
www.freepatentsonline.com/20030149977.html - 36k - [Cached](#) - [Similar pages](#)

Control system and user interface for network of input devices ...

A hybrid 1394 device is a device capable of receiving **analog** and **digital** input ... and **EIA-775A bitmap** interface, a HAVi level-2 UI (havlet), and the like. ...
www.freepatentsonline.com/20060007933.html - 111k - [Cached](#) - [Similar pages](#)
[[More results from www.freepatentsonline.com](#)]

What was New for 2003

AG-DVC7 4:3 60i NTSC Mini-DV Camcorder with IEEE1394 4-pin DV **digital** I/O, ...
SetupNavi, can work in studio configuration with CCU-D50 with **analog** coax ...
www.myvtp.com/htm/whatwasnewfor2003.htm - 39k - [Cached](#) - [Similar pages](#)

digdia - Digital Living / Digital Home Glossary - Copyright 2006

ADC - **Analog to Digital Converter**, digitizes an **analog** signal. ... EIA775A - EIA DTV link over 1394 specification (1394 link between the STB and DTV) ...
www.digdia.com/glossary.htm - 256k - [Cached](#) - [Similar pages](#)

Control system and user interface for network of input devices ...

A hybrid 1394 device is a device capable of receiving **analog** and **digital** input and/or ...
HAVi DDI interface, and **EIA-775A bitmap** interface, a HAVi, ...
www.patentstorm.us/patents/6930730-description.html - 118k - [Cached](#) - [Similar pages](#)

[PDF] OpenCable™ Application Platform Specification OCAP 1.0 Profile OC ...

File Format: PDF/Adobe Acrobat
OpenCable device An OpenCable-compliant **digital** set-top **converter** or cable ready ...
7.1.1 **Bitmap image**. formats. Compliance. 7.1.1 **Bitmap image**. formats ...
www.opencable.com/downloads/specs/OC-SP-OCAP1.0-I16-050803.pdf - [Similar pages](#)

[PDF] CAPS-90-1_rev1 [CAP 02-01-rev4] 19Mar04.book

File Format: PDF/Adobe Acrobat
These devices are actually a hybrid **analog/digital** set- ... specified in Section 7.1.1, **Bitmap image** formats of the DVB-MHP 1.0.2 [10] SHALL be supported. ...
www.scte.org/documents/pdf/ANSISCTE9012004.pdf - [Similar pages](#)

[PDF] ENGINEERING COMMITTEE Cable Applications Platform Subcommittee ...

File Format: PDF/Adobe Acrobat
image formats. Compliance. Section 7.1.1, **Bitmap. Image** Formats ... The Copy Protection Module controls copying of **analog** or **digital** content as per MSO ...
www.scte.org/documents/standards/approved/SCTE9012005.pdf - [Similar pages](#)

[doc] 99SSP Template

File Format: Microsoft Word - [View as HTML](#)
Impact testing shall be conducted in accordance with EIA-455-25 (FOTP-25) "Impact Testing of Fiber ... Video Signal Inputs --**Analog** as well as **digital**. ...
www.dot.ca.gov/hq/esc/oe/project_ads_addenda/04/04-151764/word/04-151764sp.doc - [Similar pages](#)

[doc] FrtBoil

File Format: Microsoft Word

EIA-530A cable assembly shall be provided to connect the VEU to the integrated services **digital** network terminal adapter (ISDN TA) unit with basic rate ...

www.dot.ca.gov/hq/esc/oe/project_ads_addenda/04/04-276004/word/04-276004sp.doc -

[Similar pages](#)

[[More results from www.dot.ca.gov](#)]

TIGERSOFT - Aktionsangebote- [Translate this page]

M3200C BLACK Public Display (ohne TV Tuner) - 32 " LCD/ **analog, digital/** schwarz/ ...

EN 80173, IEC 60603-7 und TIA/EIA 568, 19", 1 HE Setec RJ45 Buchse mit ...

www.tigersoft.de/full.php - [Similar pages](#)

[PDF] **** WARNING ** WARNING ** WARNING ** WARNING ** This document is ...**

File Format: PDF/Adobe Acrobat

The test shall be conducted in accordance with **EIA-455-104**. (FOTP-104), "Fiber Optic Cable Cyclic ... Video Signal Inputs --**Analog** as well as **digital**. ...

www.caltrans.ca.gov/hq/esc/oe/project_ads_addenda/04/04-151764/pdf/04-151764sp.pdf -

[Similar pages](#)

[doc] 99SSP_Template

File Format: Microsoft Word

The Contractor shall complete the **BMP** checklists for each of the six categories ... performance of the **analog** and **digital** parameters under full operation. ...

[caltrans-opac.dot.ca.gov/hq/esc/oe/project_ads_addenda/07/07-120754/word/07-](http://caltrans-opac.dot.ca.gov/hq/esc/oe/project_ads_addenda/07/07-120754/word/07-120754sp.doc)

[120754sp.doc](#) - [Similar pages](#)

[doc] 99SSP_Template

File Format: Microsoft Word

All equipment racks shall be industrial grade and conform to **EIA** standard ... performance of the **analog** and **digital** parameters under full operation. ...

[caltrans-opac.dot.ca.gov/hq/esc/oe/project_ads_addenda/07/07-120974/word/07-](http://caltrans-opac.dot.ca.gov/hq/esc/oe/project_ads_addenda/07/07-120974/word/07-120974sp.doc)

[120974sp.doc](#) - [Similar pages](#)

[xls] List1

File Format: Microsoft Excel

2024, MSI DIGI VOX II Tuner **Analog/Digital** USB, 36, USB 2.0 DigiVOX A/D II TV tuner ...

pamäť 2MB, technológia Automatic **Image** Refinement ponúka automatické ...

www.tecton.sk/cennik/november.xls - [Similar pages](#)

Bz-Soft ...kancelárska a výpočtová technika

32-bit digitálny mixer, vysoká audio kvalita, 24-bit **Analog-Digital** a ... A2, BTSC/MTS a

EIA-J systém, vstup diaľkového ovládania 2.5mm phone jack, Rozmery. ...

bzsoft.bobcek.com/index.php?id=obchod/eobchod - [Similar pages](#)

[PDF] **** WARNING ** WARNING ** WARNING ** WARNING ** This document is ...**

File Format: PDF/Adobe Acrobat

Image Area. 3.6 mm (H) x 2.7 mm (V) [Format]. Resolution:. 460 horizontal; 350 vertical-

NETS. Digital Zoom Range:. **Digital** Zoom Range: 1X (Off) through 8X ...

catc.ca.gov/hq/esc/oe/project_ads_addenda/07/07-243504/pdf/07-243504sp.pdf -

[Similar pages](#)

[doc] 99SSP_Template

File Format: Microsoft Word

The Construction Site **BMP** Manual and these special provisions shall be followed ... The power strip shall be mounted at the top of the standard **EIA-310** rack ...

www2.dot.ca.gov/hq/esc/oe/project_ads_addenda/04/04-4874R4/word/04-4874R4sp.doc -

[Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 18 already displayed.

If you like, you can repeat the search with the omitted results included.

Try [Google Desktop](#): search your computer as easily as you search the web.

EIA 775A convert digital bitmap to a 

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

[Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

digital bitmap larger in size than threshold con



[Advanced Search](#)
[Preferences](#)

Web Results 1 - 1 of 1 for digital bitmap larger in size than threshold convert digital bitmap image to analog

Esquire Technologies - Search Results

15" Invar Shadow Mask FST (13.8" Viewable Image Size) 0.28mm Diagonal Dot ... BMP,
GIF * 128 x 128 dot matrix 65K colours CSTN display * Supports 7 bands ...
www.esquire.co.za/index.php?mod=search - 1021k - [Cached](#) - [Similar pages](#)

Download [Google Pack](#): free essential software for your PC

digital bitmap larger in size than thre



[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google